


Robotic interferometer for maintenance inspection of multi-termini fiber optic connectors



Inspection of multi-termini MIL-DTL-38999 connectors and equivalents.

Inspect mounted MIL style connectors in 3D. Ensure reliability and accurate performance of a critical connection.

End face inspection of MIL style connections is crucial as they are used in mission-critical systems demanding high optical performance and are continuously exposed to vibration, temperature cycling, repeated mating, and other harsh environmental conditions.

For critical applications, 2D evaluation of a terminus end face would be insufficient. Additional inspection must be performed by interferometry to:

- obtain 3D information about the defect that can't be removed by cleaning;
- detect fiber chips and cracks;
- register fiber height change of connectors over time to avoid mating issues.

Sumix OCTOPUS robotic interferometer uses a multi-axis motion system allowing geometry inspection of fiber optic termini inside military and harsh environment connectors installed in patch-panels, server boxes, and other optical-network units on board of an aircraft or marine vessel.

PATENTED

Application

- Aerospace, marine and military vehicle field service;
- On-site inspection in harsh environments like oil & gas, backbone telecom etc.

Specification

Connectors inspected: MIL-DTL-38999 and other MIL style and harsh environment connectors

Field of view: D = 1.6 mm

Area covered: Y, X-axis motion: ± 14 mm

Optical resolution: 3.2 μ m

Magnification: 300x

Focus: Autofocus

Focus range: 4 mm

Measurement mode: white light

Power supply: external, USB 3.0 cable, 12 V DC power adapter

Dimensions (H x W x L): 90 x 118 x 184 mm (3.5 x 4.6 x 7.24 in)

Weight: 1.26 kg (2.78 lbs)

Compatible with: desktop PC, laptop, tablet

Operating system: Windows 10

NIST traceable factory calibration


Capabilities

- Fiber Height and Radius of Curvature measurement
- 3D anomalies detection.

| | |
|------------------------|--------------------------------|
| Name: | Result7747 |
| Date & Time: | 4/14/2021 10:42:7 AM |
| Task name: | MinInterferometer SF scenario. |
| Device SN, Fixture SN: | MINI 65003 |
| Connector ID: | |
| Customer: | |
| Technician: | Mykola |
| Company: | Sumix |

FIBERS

| Measurement Parameter | Units | Pass/Fail Limits | | Fiber Number / Measured Value / Verdict | | | | | | |
|-----------------------|-------|------------------|---------|---|---------|---------|---------|--------|---|---|
| | | Min | Max | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Height | nm | 1571.92 | 2192.13 | 1343.22 | 1692.61 | 1614.40 | 2556.26 | 1728.7 | | |
| ROC | mm | 17.56 | 8.08 | 8.85 | 3.02 | 15.78 | 16.27 | 4.89 | | |



Sample of a measurement report for a multi-termini connector